





A WHOLE NEW WAY TO LOOK AT VENDING...

CONTROLLER

Full function MDB controller with DEX/UCS compatibility.

Energy management features include:
Real time clock
Lighting control
Refrigeration control

Diagnostic LED's on boards and components for easier trouble shooting.

Full range of diagnostic menus and test programs.

COINAGE MOUNT

Sliding coinage mount for easy access and servicing.

CONSTRUCTION

Foamed-in-place door construction, with double pane, argon filled tempered glass panel.

Modular construction employed for easy service - minimum number of fasteners used.

DELIVERY HOPPER

LED-illuminated motorized hopper for customer convenience. Auto-retreat feature in case obstruction is encountered when closing.





CABINET FOOTER

Removable cabinet footer - to facilitate movement through narrow doorways.





DELIVERY SYSTEM

Flexible dispensing mechanism - no shims or kits required to vend virtually any beverage package 2" - 3" in footprint and 3" - 9.5" in height.

Patent pending delivery mechanism retrieves each vended package and places it within a secure delivery port with little or no agitation.

Total product control throughout vend cycle, to help prevent product tipping from shelves during or after vend.

Delivery system housed in door - no wires, switches, solenoids, or motors in cabinet.

"TractorFeed" concept employed in X, Y, and Z motions.

Delivery system retracts out of sight at the bottom of door between vends. This provides customers with an unobstructed view of all available products and does not interfere with product reloading.

** Please note: Photos in this brochure show the delivery system in the process of making a vend; not in the stand-by position.





TEMPERATURE LOCK-OUT SYSTEM


Programmable temperature controlled lock-out system for vending perishable products.

LOADING RACK

Telescopic loading rack available as an optional accessory.

HIGH VISIBILITY DISPLAY

2 x 20 VF display for better customer communication.



PRODUCT TRAYS

Product trays pull forward for easy loading.

Product pushers lock at back of trays tor hands-free, FIFO loading; and will automatically reset when product trays are pushed back into place.

All product trays lift out easily for cleaning.

Machine can be configured with 5, 6 or 7 shelves of product trays (at production or on location).



REFRIGERATION UNIT

Cassette-style refrigeration unittotally self-contained, simple to remove/replace. Quiet operation.

FEATURES & BENEFITS

FIFO Loading - Ensures proper product rotation to customers

Modular Refrigeration Cassette - Quick easy change out minimizes service time

Flexibility - Shimless vending of bottles, cans, cartons provides for optimal product mix and maximum vending profits


Shelf Configurations (5 - 7) - Maximize pack-out and vending revenues through space to sales

Security - Metal hopper, anti-theft device, internal hinges all help provide strong deterrents to vandalism

Product Delivery - Product is "served not shaken" ensuring no agitation and no product "spill over" onto customers

BRANDING OPPORTUNITIES

Multiple branding opportunities inside and outside of vendor.



P.O.S. GRAPHIC

Interchangeable graphic to fit current and future products and promotions

Product I.D. Cards



PRODUCT PUSHER

Brand I.D. stays visible when column is sold out.

When reloading, correct product locations are easily identified.



OPTIONAL GRAPHICS*

SPECIFICATIONS



Coca-Cola International



Dasani

*Other graphics available upon request.







Vue Model Number	Vue-30*	Vue-40*
Total Can Capacity with 7 shelves	378	504
Total PET Bottle Capacity with 5 shelves	240	320
# of Selections with 7 shelves	42	56
# of Selections with 5 shelves	30	40
Dimensions* - H x W x D	72" x 34" x 35"	72" x 41.5" x 35"
Shipping Weight**	750 lbs.	800 lbs.
Operation Voltage	115v 60Hz	115v 60Hz
Amp Rating	10	10
Capacity per Facing		
8oz./12oz.can	9	9
250ml can	11	11
16.9oz. / 20oz. PET bottles***	8-9	8-9
330ml Tetra Prisma® Aseptic Cartons	11	11
250ml Tetra Prisma® Aseptic Cartons	12	12

- * Global Trademark Authorized by The Coca-Cola Company
- ** Dimensions and shipping weight will vary slightly due to manufacturing tolerances, shipping boards and whether or not coinage is installed.
- *** Product capacities will vary based on the diameter of the bottle.

Indoor Use Only.

"Coca-Cola", "DASANI", "Sprite", "Vault", "Full Throttle" and "Fresca" are trademarks of The Coca-Cola Company. "Nestea" is a registered trademark of Societe des Produits Nestea S.A. (Switzerland) used under license by Beverage Partners Worldwide (North America).

Sanden Vendo America, Inc. offers a complete line of parts, accessories, supplies and add-on security devices - call for more information.



SandenVendo America, Inc. 10710 Sanden Drive, Dallas, Texas 75238 Toll Free 1-800-344-7216 Local 214-765-9066 Fax 214-765-0142 www.vendoco.com