

S  
X  
X



# FEATURES & BENEFITS

Removable cabinet base plate facilitates movement through narrow doorways



Product trays pull forward for easy loading and can be configured with 5, 6, or 7 shelves



When reloading, correct product locations are easily identified based on selection number



Interchangeable graphic to fit current and future products and promotions



Telescopic loading rack available as an optional accessory



- **FIFO Loading** - Proper product rotation to ensure customer receives cold product first which reduces out-of-date product
- **Modular Refrigeration Cassette** - Quick easy change out minimizes service time
- **Flexibility** - Shimless vending of bottles, cans, cartons provides for optimal product mix and maximum vending profits
- **Shelf Configurations (5-7)** - Maximize pack-out and vending revenues through space to sales
- **Security** - Metal hopper and anti-theft device help provide strong deterrents to vandalism
- **Product Delivery** - Product is "served not shaken" ensuring no agitation and no product "spill over" onto customers
- **Sold Out/Ready to Vend Lights** - Flash while vending to clearly identify activity
- **External Hinges** - Allow machine to be banked (2" apart)
- **Quick Delivery** - "Wait at Center" feature reduces vend time and increases throughput/sale in high traffic locations and advanced software accelerates vend speed
- **Outdoor Approved** - Indoor and outdoor approved
- **Delivery System** - Patent pending delivery mechanism retrieves each vended package and places it within a secure delivery port with little or no agitation. Total product control throughout vend cycle, to help prevent product tipping from shelves during or after vend. Delivery system housed in door - no wires, switches, solenoids, or motors in cabinet.

# A NEW WAY TO LOOK AT VENDING...

## Delivery System

Flexible dispensing mechanism - no shims or kits required to vend virtually any beverage package 2" - 3" in footprint and 3" - 9.5" in height.



## Delivery Hopper

LED-illuminated motorized hopper for customer convenience. Auto-retreat feature in case obstruction is encountered when closing.



## Controller

Full function MDB controller with DEX/UCS compatibility.

Energy management features include:

- Real time clock
- Lighting control
- Refrigeration control

Diagnostic LED's on boards and components for easier trouble shooting.

Full range of diagnostic menus and test programs.

## Temperature Lock-out System

Programmable temperature controlled lock-out system for vending perishable products available as an optional accessory.

## Refrigeration Unit

Cassette-style refrigeration unit - totally self-contained, simple to remove/replace. Quiet operation.

# SXY

# SPECIFICATIONS

## Other Optional Graphics:



Coke SXY Model Number	SXY 30	SXY 40
Total Can Capacity with 7 Shelves	378	504
Total PET Bottle Capacity with 5 Shelves	240	320
# of Selections with 7 Shelves	8	12
# of Selections with 5 Shelves	8	12
Dimensions* - H x W x D	72" x 34" x 38.5"	72" x 41.5" x 39"
Shipping Weight*	750 lbs.	800 lbs.
Operation Voltage	115v 60Hz	115v 60Hz
Amp Rating	10	10
<b>Capacity per Facing</b>		
8 oz. / 12 oz. Can	9	9
250 ml Can	11	11
16.9 oz. / 20 oz. PET Bottles**	8-9	8-9

\* Dimensions and shipping weight will vary slightly due to manufacturing tolerances, shipping boards and whether or not coinage is installed.

\*\* 20 oz. PET capacity may vary based on shape and size of bottle.

**Indoor/Outdoor Use**



SandenVendo America, Inc.  
 10710 Sanden Drive, Dallas, TX 75238  
 P: 214.765.9066 F: 214.340.8029  
 P: 800.344.7216 F: 800.541.5684  
[www.vendoco.com](http://www.vendoco.com)

SandenVendo America, Inc. offers a complete line of parts, accessories, supplies and add-on security devices - call for more information.

